- Qureshi, SA. *In Vitro-In Vivo* Correlation (IVIVC) and Determining Drug Concentrations in Blood from Dissolution Testing – A Simple and Practical Approach. *The Open Drug Delivery Journal*, 2010, 4, 38-47. (Link)
- Moore, TW, Long, MA., Kentrup, WA., 3,*, Oates, MD., Kelley, C., and Sojkowski, SP. Implementation Guidance for American Society for Testing and Materials (ASTM) E 2503-07 "Standard Practice for Qualification of Basket and Paddle Dissolution Apparatus" *The Open Drug Delivery Journal*, 2010, 4, 14-20. (Link).
- 3. Taupitz, T., and Klein, S. Can Biorelevant Media be Simplified by using SLS and Tween 80 to Replace Bile Compounds? *The Open Drug Delivery Journal*, 2010, *4*, 30-37. (Link).
- 4. Fotaki1, N., and Vertzoni, M. Biorelevant Dissolution Methods and Their Applications in *In Vitro-In Vivo* Correlations for Oral Formulations. *The Open Drug Delivery Journal*, 2010, 4, 2-13. (Link)
- Alkhalidi, BA., Alkhatib, HS., and Khdair, AA. Comparative Dissolution of Diltiazem Immediate and Extended Release Products Using Conventional USP and Innovative Dissolution Paddles. *The Open Drug Delivery Journal*, 2010, 4, 48-54. (Link)
- 6. Qureshi SA. A crescent-shaped spindle for improved dissolution testing. *Pharmeur Bio Sci Notes*. 2009;**1**:55-65.
- 7. Gao Z, Moore TW, Buhse LF *et al*. The random effects on dissolution testing with USP apparatus 2. *J Pharm Sci* 2009;**98**:297-306.
- 8. Qureshi SA. Drug dissolution testing: Selecting a dissolution medium for solid oral products. *Am Pharm Rev* 2009;**12**:18-23.
- 9. Qureshi, SA. Performance Verification of Drug Dissolution Apparatuses Controversy, its Causes and a Suggested Solution. *Am Pharm Rev.* 2008:11-14.